
SEQUENCE LISTING

<110>	Curiel, David T. Krasnykh, Victor N. Dmitriev, Igor
<120>	Adenovirus Vector Containing A Heterologous Peptide Epitope in the HI Loop of the Fiber Knob
<130>	D6080
<140>	
<141>	1999-02-05
<150>	US 60/099,801
<151>	1998-09-10
<160>	17
<210>	1
<211>	28
<212>	DNA
<213>	artificial sequence
<220>	
<221>	primer_bind
<223>	Forward primer F1 used to generate a gene encoding
	the Ad5 fiber knob domain with the HI loop deleted.
<400>	1
taaggatccg gtg	ccattac agtaggaaac aaaaataa 28
<210>	2
<211>	43
<212>	DNA
<213>	artificial sequence
<220>	
<221>	primer_bind
<223>	Reverse primer R1 used to generate a gene encoding
	the Ad5 fiber knob domain with the HI loop deleted.
<400>	2
catagagtat gca	gatatcg ttagtgttac aggtttagtt ttg 43
<210>	3

<211>	42
<212>	DNA
<213>	artificial sequence
<220>	
<221>	primer_bind
<223>	Forward primer F2 used to generate a gene encoding
	the Ad5 fiber knob domain with the HI loop deleted.
<400>	3
gtaacactaa	cgatatctgc atactctatg tcattttcat gg 42
<210>	4
<211>	41
<212>	DNA
<213>	artificial sequence
<220>	
<221>	primer_bind
<223>	Reverse primer R2 used to generate a gene encoding
	the Ad5 fiber knob domain with the HI loop deleted.
<400>	4
cccaagctta	caattgaaaa ataaacacgt tgaaacataa c 41
<210>	5
<211>	63
<212>	DNA
<213>	artificial sequence
<220>	
<223>	Oligonucleotide annealed with SEQ ID NO: 6 to form a
	duplex and cloned into EcoRV-digested pQE.KNOBDHI.
<400>	5
tacactaaac	ggtacccagg aaacaggaga cacaactgac tacaaggacg acgatgacaa 60
gcc	63
<210>	6
<211>	63
<212>	DNA

<213> artificial sequence




010	10	
<210>	10	
<211>	66	
<212>	DNA	
<213>	artificial sequence	
<220>		
<223>	Oligonucleotide in duplex cloned into EcoRV site	
	of plasmid pQE.KNOBDHI generating pQE.KNOB.RGD $_{ m HI}$.	
<400>	10	
cacactaaac	ggtacacagg aaacaggaga cacaacttgt gactgccgcg gagactgttt	60
ctgccc		66
<210>	11	
<211>	66	
<212>	DNA	
<213>	artificial sequence	
<220>		
<221>	primer_bind	
<223>	Oligonucleotide in duplex cloned into EcoRV site	
	of plasmid pQE.KNOBDHI generating pQE.KNOB.RGD $_{ m HI}$.	
<400>	11	
gggcagaaac	agtctccgcg gcagtcacaa gttgtgtctc ctgtttcctg tgtaccgttt	60
agtgtg		66
<210>	12	
<211>	41	
<212>	DNA	
<213>	artificial sequence	
<220>		
<223>	Oligonucleotide in synthetic duplex used to	

generating pcLucPC1. <400> 12

caaatacaaa ggatatcagg tggcccccgc tgaattggag t

41

replace 41 bp PacI-ClaI-fragment in pcDNA.Luc,





<213> artificial sequence

<220>

<223> Amino acid sequence of a RGD peptide incorporated into the region of the fiber gene within the HI loop.

<400> 16

Cys Asp Cys Arg Gly Asp Cys Phe Cys

5

<210> 17

<211> 13

<212> PRT

<213> artificial sequence

<220>

<223> Amino acid sequence of peptide replacing the

RGD coding sequence.

<400> 17

Thr Leu Asn Gly Thr Gln Glu Thr Gly Asp Thr Thr Pro

5 10